

VERTY GO

VERTY GO HYDRAULIC DATA



TECHNICAL DATA

CONSTRUCTION

- Anti-corrosive and rust-proof materials
- Motor with thermic overload protection
- Wear resistant shaft and impeller
- Excellent cooling of the motor that enables the pump to operate even when it is partially submerged
- Automatic version with start/ stop float switch and Manual version
- Supplied with power cable with plug and self-sealing fitting

TECHNICAL DATA

FEATURES & BENEFITS

- Plug & Play
- Low suction capability: 1/16"
- Provides Excellent flows "In a compact design"
- Efficient motors
- 115v 60Hz
- CSA and UL approved
- Dry Run protection (with Float Switch)
- Built in thermic overload

APPLICATIONS

Multi Purpose Submersible Pumps

Multi-purpose submersible pumps for drainage, emptying, and pumping water between containers.

Specifically designed for uses in narrow pits with dimensions down to 8" x 8".


Suitable to pump clear water containing particles with maximum diameter up to 1/4".

- * Drainage
- * Emptying sumps
- * Transferring water between large containers
- * Hydroponics


TECHNICAL DATA

Model	HP	Watts	Volts	Frequency	Amps	Max Solids	Max Flow	Max Head	Discharge
VERTY GO 300	1/3	300	115	60 Hz	3	1/4"	34 gpm	21 ft	1" 1/4 NPT
VERTY GO 600	1/2	600	115	60 Hz	6	1/4"	52 gpm	30 ft	

TECHNICAL DATA



DIMENSIONS

Model	Lenght	Depth	Height	Weight	Pallet Qty	
VERTYGO 300	8.9"	7.3"	11.2"	9.2 lbs	60 + 40	
VERTYGO 600	8.9"	7.3"	12.4"	11.2 lbs		